Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	370/311.ccls. and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3 near15 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 18:50
L2	30	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same receiv$3 near15 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:15
L3	309	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same receiv$3 near15 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$ or control$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:00
L4	26	2 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 18:59
L5	109	3 and ("455"/$.ccls. or 370/311. ccls. or "340"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 18:59
L6	99	5 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 18:59
L7	14	6 and receiv$3 same (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:00

L8	2	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same delay$4 near25 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:19
L9	18	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same delay$4 same (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:29
L10	16	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:19
L11	63	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same receiv$4 same (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:29
L12	63	(pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$) same receiv$4 same (power$2 or powering or power-up or powering-up or trigger$3) near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:37
L13	52	12 not 9 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:31
L14	196	("340"/$.ccls. or "455"/$.ccls. or "370"/$.ccls.) and receiv$4 same (power$2 or powering or power-up or powering-up or trigger$3) near15 synchroni$ near15 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:38
L15	2	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:42

L16	2	15 and (pseudorandom$ or pseudo-random$ or pn or pnc or pseudo adj random$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 19:45
S1	57	pseudo-random and duty adj cycle$1 near10 (transmit$4 or transmission$1) and local adj oscillator$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:27
S2	4	power$3 near15 burst$1 near5 (time$1 or timing) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 18:12
S3	4	power$3 near15 burst$1 near15 (time$1 or timing) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 19:37
S4	2	(("5752201") or ("5481259")).PN.	USPAT	OR	OFF	2005/08/22 18:51
S5	75	(pseudorandom$2 or pseudo-random$2) and duty adj cycle$1 near25 (transmit$4 or transmission$1) and local adj oscillator$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 19:36
S6	4	power$3 near15 burst$1 near15 (time$1 or timing) and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 19:39
S7	76	(pseudo adj random$2 or pseudorandom$2 or pseudo-random$2) and (data or duty) near3 cycle$1 near15 (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power or voltage$1 or vcc or current) near10 (burst$1 or pulse$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:53

S8	6	(pseudo adj random$2 or pseudorandom$2 or pseudo-random$2) near15 delay$2 and (data or duty) near3 cycle$1 near15 (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:30
S9	6	(pseudo adj random$2 or pseudorandom$2 or pseudo-random$2) near15 delay$3 and (data or duty) near3 cycle$1 near15 (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:30
S10	3	(pseudo adj random$2 or pseudorandom$2 or pseudo-random$2) and (data or duty) near3 cycle$1 near15 (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power or voltage$1 or vcc or current) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 12:56
S11	10	("455"/$.ccls. or "340"/$.ccls.) and (data or duty) near3 cycle$1 near15 (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:03
S12	163	("455"/$.ccls. or "340"/$.ccls.) and (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 13:13
S13	0	("455"/$.ccls. or "340"/$.ccls.) and (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1) same (pseudorandom$2 or pseudo-random$2 pseudo adj random$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:04

S14	0	("455"/$.ccls. or "340"/$.ccls.) and (transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1) same (pseudorandom$ or pseudo-random$ pseudo adj random$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:05
S15	3	(transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4) near7 (burst$1 or pulse$1) same (pseudorandom$ or pseudo-random$ pseudo adj random$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:26
S16	3	S15 and receiv$4 same power$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:11
S17	8	(transmit$4 or transmission$1) near15 (pulse$1 or burst$1) and receiv$3 same (power) near15 (synchroni$ or coincid$4 or correspond$4 or correlat$4) near10 (burst$1 or pulse$1) same (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:51
S18	5	S17 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:45
S19	32115	340/539.3.ccls. (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:51
S20	2	340/539.3.ccls. and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:52

S21	0	340/539.3.ccls. and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3 same power$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:52
S22	3179	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3 same (power$2 or powering or power-up or powering-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:00
S23	1259	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3 near15 (power$2 or powering or power-up or powering-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:01
S24	446	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) near15 receiv$3 near15 (power$2 or powering or power-up or powering-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:05
S25	3	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) near15 receiv$3 near15 (power$2 or powering or power-up or powering-up) same power near5 (save$1 or saving or conserv$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:15
S26	0	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) near15 receiv$3 near15 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$) not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:16
S27	27	transmit$4 and (pseudorandom$ or pseudo-random$ or pn or pseudo adj random$) same receiv$3 near15 (power$2 or powering or power-up or powering-up) near15 (save$1 or saving or conserv$) not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 17:40